


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

regression operand fragment

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles** Results 1 - 10 of about 120 for **regression operand fragment**.
All Results[R Poli](#)[F Corno](#)[J Allen](#)[K Kennedy](#)[D Novillo](#)[PS] ... [Evolution of Parallel Binary Multipliers and Continuous Symbolic](#)[Regression Expressions with Sub- ... - all 3 versions »](#)

R Poli - SCHOOL OF COMPUTER SCIENCE RESEARCH REPORTS-UNIVERSITY OF ..., 1998 - cs.bham.ac.uk

... and x3 and x4 represent the second **operand**. ... of experiments with a continuous symbolic**regression** problem: the ... 1998b, appendix) for a larger **fragment** of SMCGP ...Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)
[Paper-Proceedings of the 2nd Conference on Domain-Specific Languages, October 3-5, 1999, Austin, ...](#)
EG Sirer, BN Bershad - [usenix.org](#)... The technique should be easy to incorporate into nightly **regression** testing ... the bytecodeverifier prohibit the creation of such **operand fragments**, our bytecode ...[Related Articles](#) - [Cached](#) - [Web Search](#)[Monsoon: a dataflow computing architecture suitable for intelligent control](#)GM Papadopoulos - Intelligent Control, 1990. Proceedings., 5th IEEE ..., 1990 - [ieeexplore.ieee.org](#)... lel machines seem to have induced a **regression** in pro ... is shown in Figure 1. The graph **fragment** computes the ... $x + y)(x - y)$. The **operands** are conventionally ...[Related Articles](#) - [Web Search](#)[Automatic test program generation: a case study - all 5 versions »](#)F Corno, E Sanchez, MS Reorda, G Squillero - Design & Test of Computers, IEEE, 2004 - [ieeexplore.ieee.org](#)... checking local optimizations and running **regression** tests ... in association with different **operand** types ... node, which correspond to prologue and epilogue **fragments**). ...Cited by 27 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[\[PS\] Catenation and Operand Specialization for Tcl Virtual Machine Performance](#)
B Vitale - 2004 - [cs.toronto.edu](#)... and, together with **operand** specialization, this yields fairly consistent reduction in ... including Cisco, to test its routers; Cygnus, to run **regression** tests ...Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)[Tree SSA A New Optimization Infrastructure for GCC - all 32 versions »](#)D Novillo - Proceedings of the 2003 GCC Developers' Summit, 2003 - [pluto.cdpa.nsysu.edu.tw](#)... When building the control flow graph for this code **fragment**, the compiler must re ... refer- ence to either variable is then considered a virtual **operand** using the ...Cited by 30 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Automatic Test Program Generation: A Case Study](#)P APPROACH - [doi.ieeecomputersociety.org](#)

... checking local optimizations and running **regression** tests ... node, which correspond to prologue and epilogue **fragments**). ... with three registers as **operands**) and the ...
[Related Articles](#) - [Web Search](#)

Hydraulic Landscapes and Social Relations in the Middle Horizon Andes

PR Williams - BAR INTERNATIONAL SERIES, 2003 - comcast.net

... plished by running a Euclidean distance **operand** on the ... Ancient preserved canal **fragments**

were bisected by a ... is then compared to a **regression** equation created ...

[View as HTML](#) - [Web Search](#) - [BL Direct](#)

Automatic Test Program Generation—a Case Study: the SPARC V8

F Corno, E Sanchez, G Squillero, MS Reorda - elite.polito.it

... optimizations or running **regression** tests ... which correspond to a prologue and epilogue **fragment**, respectively ... registers as **operands**) and the actual values of its ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Pattern Matching in Multidimensional Time Series - all 3 versions »

A Polanski - JCIS, 2002 - aiecon.org

... Kernel **regression**, nearest- neighbor estimators and neural networks are all ... be able to recognize any **fragment** of the ... in the left and right **operand**, respectively ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

regression operand fragment

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles** Results 1 - 10 of about 120 for **regression operand fragment**.
All Results[R Poli](#)[F Corno](#)[J Allen](#)[K Kennedy](#)[D Novillo](#)[PS] ... [Evolution of Parallel Binary Multipliers and Continuous Symbolic](#)[Regression Expressions with Sub- ... - all 3 versions »](#)

R Poli - SCHOOL OF COMPUTER SCIENCE RESEARCH REPORTS-UNIVERSITY OF ..., 1998 - cs.bham.ac.uk

... and x3 and x4 represent the second **operand**. ... of experiments with a continuous symbolic**regression** problem: the ... 1998b, appendix) for a larger **fragment** of SMCGP ...[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)
[Paper-Proceedings of the 2nd Conference on Domain-Specific Languages, October 3-5, 1999, Austin, ...](#)
EG Sirer, BN Bershad - [usenix.org](#)... The technique should be easy to incorporate into nightly **regression** testing ... the bytecodeverifier prohibit the creation of such **operand fragments**, our bytecode ...[Related Articles](#) - [Cached](#) - [Web Search](#)
[Monsoon: a dataflow computing architecture suitable for intelligentcontrol](#)
GM Papadopoulos - Intelligent Control, 1990. Proceedings., 5th IEEE ..., 1990 - [ieeexplore.ieee.org](#)... lel machines seem to have induced a **regression** in pro ... is shown in Figure 1. The graph **fragment** computes the ... $x + y)(x - y)$. The **operands** are conventionally ...[Related Articles](#) - [Web Search](#)
[Automatic test program generation: a case study - all 5 versions »](#)
F Corno, E Sanchez, MS Reorda, G Squillero - Design & Test of Computers, IEEE, 2004 - [ieeexplore.ieee.org](#)... checking local optimizations and running **regression** tests ... in association with different **operand** types ... node, which correspond to prologue and epilogue **fragments**). ...[Cited by 27](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[\[PS\] Catenation and Operand Specialization for Tcl Virtual Machine Performance](#)
B Vitale - 2004 - [cs.toronto.edu](#)... and, together with **operand** specialization, this yields fairly consistent reduction in ... including Cisco, to test its routers; Cygnus, to run **regression** tests ...[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)
[Tree SSA A New Optimization Infrastructure for GCC - all 32 versions »](#)
D Novillo - Proceedings of the 2003 GCC Developers' Summit, 2003 - [pluto.cdpa.nsysu.edu.tw](#)... When building the control flow graph for this code **fragment**, the compiler must re ... refer- ence to either variable is then considered a virtual **operand** using the ...[Cited by 30](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
[Automatic Test Program Generation: A Case Study](#)
P APPROACH - [doi.ieeecomputersociety.org](#)

... checking local optimizations and running **regression** tests ... node, which correspond to prologue and epilogue **fragments**). ... with three registers as **operands**) and the ...
[Related Articles](#) - [Web Search](#)

Hydraulic Landscapes and Social Relations in the Middle Horizon Andes

PR Williams - BAR INTERNATIONAL SERIES, 2003 - comcast.net

... plished by running a Euclidean distance **operand** on the ... Ancient preserved canal **fragments**

were bisected by a ... is then compared to a **regression** equation created ...

[View as HTML](#) - [Web Search](#) - [BL Direct](#)

Automatic Test Program Generation—a Case Study: the SPARC V8

F Corno, E Sanchez, G Squillero, MS Reorda - elite.polito.it

... optimizations or running **regression** tests ... which correspond to a prologue and epilogue **fragment**, respectively ... registers as **operands**) and the actual values of its ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Pattern Matching in Multidimensional Time Series - all 3 versions »

A Polanski - JCIS, 2002 - aiecon.org

... Kernel **regression**, nearest- neighbor estimators and neural networks are all ... be able to recognize any **fragment** of the ... in the left and right **operand**, respectively ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

regression test operand fragment

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 267 for [regression test operand fragm](#)
All Results[F Corno](#)[G Squillero](#)[D Novillo](#)[A Kolawa](#)[D Richardson](#)
[Code Generation for Functional Validation of Pipelined Microprocessors - all 9 versions »](#)

F Corno, E Sanchez, MS Reorda, G Squillero - Journal of Electronic Testing, 2004 - Springer
 ... local optimizations or running **regression** tests ... each possible instruction with the syntactically correct **operands**. ... by a unique name; the **test**- program generator ...

Cited by 8 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Enhancing a Modula-2 compiler to help students learn interactively within the Ceilidh system](#)

GPC Mulley, K Verheyden - Knowledge Transfer, 1997 - floppsie.comp.glam.ac.uk
 ... applied to the compiler, a **regression test** suite is ... errors should show the corresponding **fragments** of source ... The conditional branch **operands** are examined for ...

Cited by 2 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#)

[Paper-Proceedings of the 2nd Conference on Domain-Specific Languages, October 3-5, 1999, Austin, ...](#)

EG Sirer, BN Bershad - usenix.org

... should be easy to incorporate into nightly **regression testing**. ... Since our **test** bases consisted of single ... the creation of such **operand fragments**, our bytecode ...

[Related Articles](#) - [Cached](#) - [Web Search](#)

[Automatic test program generation: a case study - all 5 versions »](#)

F Corno, E Sanchez, MS Reorda, G Squillero - Design & Test of Computers, IEEE, 2004 - ieeexplore.ieee.org

... used for checking local optimizations and running **regression** tests ... to an assembly line in the **test** program ... unsigned sum with three registers as **operands**) and the ...

Cited by 27 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Tree SSA A New Optimization Infrastructure for GCC - all 32 versions »](#)

D Novillo - Proceedings of the 2003 GCC Developers' Summit, 2003 -

pluto.cdpa.nsysu.edu.tw

... functions for generating GIMPLE statements and **testing** whether a ... flow graph for this code **fragment**, the compiler ... is then considered a virtual **operand** using the ...

Cited by 30 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Porting lcc to the PLX architecture](#)

W Qin - palms.ee.princeton.edu

... For the C program **fragment** below, a = PSUBAVG_1 ... During a **regression test**, the

benchmarks will be compiled ... load operation's destination **operand** does not ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[The GNU 64-bit PL 8 compiler: Toward an open standard environment for firmware development - all 6 versions »](#)

W Gellerich, T Hendel, R Land, H Lehmann, M ... - IBM Journal of Research and Development, 2004 - research.ibm.com

... where the %i are replaced by the specific **operand** i our validation effort covers


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

design verification regression operand

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles** Results 1 - 10 of about 388 for **design verification regression**
All Results[A Aharon](#)[M Levinger](#)[D Goodman](#)[Y Lichtenstein](#)[Y Malka](#)

Test program generation for functional verification of PowerPC processors in IBM - all 12 versions »

A Aharon, D Goodman, M Levinger, Y Lichtenstein, Y ... - Proceedings of the 32nd ACM/IEEE conference on **Design** ..., 1995 - portal.acm.org
 ... classification work across different architectures, **design** process and **verification** method- ologies ... level sets used for frequent **regression** testing to ...
 Cited by 126 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Functional verification methodology for the PowerPC 604microprocessor - all 3 versions »

J Monaco, D Holloway, R Raina, SD Center, TX ... - **Design** Automation Conference Proceedings 1996, 33rd, 1996 - ieeexplore.ieee.org
 ... The **regression** set consisted of instruction streams containing ... were generated after the **verification** engineer specified ... available at the Somerset **Design** Center ...
 Cited by 39 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Functional verification of the Equator MAP1000 microprocessor - all 13 versions »

J Shen, J Abraham, D Baker, T Hurson, M Kinkade - Proceedings 36 thDesign Automation Conference, 1999 - doi.ieeecomputersociety.org
 ... We applied the **regression** test suite to the chip on a tester and ... method at the RTL level during pre-silicon **verification**, and detected **design** errors in ...
 Cited by 19 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Design Verification System for Large-Scale LSI Designs - all 4 versions »

M Monachino - **Design** Automation, 1982. 19th Conference on, 1982 - ieeexplore.ieee.org
 ... DVS is that it requires no test pattern to analyze the **design**. ... **VERIFICATION** EXPERIENCE ...
 3081 testing philosophy was to use all tests for **regression** testing at ...
 Cited by 25 - [Related Articles](#) - [Web Search](#)

Commercial Design Verification: Methodology and Tools - all 4 versions »

C Pixley, NR Strader, WC Bruce, J Park, M Kaufmann ... - Proceedings of the International Test Conference (ITC'96) - doi.ieeecomputersociety.org
 ... Based upon these results, the **regression** suite was extended ... nificantly improve pre-tape-out **verification** of complex ... hardware proto- type of the **design** is the ...
 Cited by 24 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Practical Formal Verification in - all 13 versions »

RB Jones, WOL John - IEEE} **Design** {\ &} Test of Computers} - comlab.ox.ac.uk
 ... debugged circuit API; and a set of scalar test vectors, which are saved to support **regression** testing. ... Formal **Verification** 20 IEEE **Design** & Test of Computers ...
 Cited by 29 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

A methodology for large-scale hardware verification - all 8 versions »

MD Aagaard, RB Jones, TF Melham, JW O'Leary, CJH ... - ... Conference on Formal Methods in Computer-Aided **Design**, 2000 - Springer

B Bentley - **Design** Automation Conference, 2001. - doi.ieeecs.org
 ... model builds pass a mini- **regression** test suite ... SRTL-to-schematic equivalence
verification, and several ... of the Pentium® 4 processor **design**, power consumption ...
 Cited by 64 - Related Articles - Web Search

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

design verification regression operar Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google